

CERTIFICATION




# ICE MATE

by  **HOSHIZAKI**

## SRM-270AB -B-501SA ICE MAKER

**DICE**



ICEMATE is committed to bringing high-efficiency / energy-saving, and high quality ice-making product to people who have dreams and desire to create their own business with the best scientific technology and manufacturing technology.

### KEY FEATURES

#### SAFETY AND HYGIENE ASSURED ICE MACHINE

##### AUTO-CLEANING



Timely maintenance of water system can extend life of equipment.

##### PURE ICE




Overflow self-cleaning function, ensuring ice hygiene

##### IoT



#### Slow melt Dilution



**Slow Dilution**  
Slower melting speed due to -7°C of inside temp of ice cube


#### Powerful Ice Making




#### Energy & Water Saving, Quiet Operation




## DIMENSIONS




**BIN TOP VIEW**




**RIGHT SIDE**



**BACK SIDE**



**FRONT SIDE**



## SPECIFICATIONS

Ice Dimensions (W x D x H)	22 x 22 x 22 mm
Outside Dimensions (W x D x H)	762 x 820 x 1671 (~1701) mm
Package Dimensions (W x D x H)	Ice Maker: Pallet+Carton: 850 x 710 x 750mm Storage Bin: 866 x 924 x 1138mm
Weight (Net / Gross)	Ice Maker: 59kg / 78kg Storage Bin: 47kg / 57kg
Amperage / Starting Amperage	6.4A/24A
Electrical Consumption	(AT32°C / WT21°C) 861W
Refrigerant Charge	R404A/620g
Ice Storage Capacity	Maximum 217 kg
Ice Production per 24H	(AT10°C / WT10°C) Approx. 270 kg (AT21°C / WT15°C) Approx. 225 kg (AT32°C / WT21°C) Approx. 180 kg

Water Consumption per 24H	(AT32°C/WT21°C) 0.19m <sup>3</sup> (1.1 L / kg Ice)
Ice Production Freeze Cycle Time	(AT21°C/WT15°C) 14.5 min
Ice Production per Cycle	(AT21°C/WT15°C) Approx. 2.41kg / 260pcs

### OPERATING CONDITIONS

Voltage Range	198 - 242 V
Ambient Temperature	5 - 38°C
Water Supply	5 - 32°C
Water Supply Pressure	0.07 - 0.55 Mpa (0.7 - 5.5 bar)
Supply Voltage	1/220 - 240V / 50Hz



**HOSHIZAKI**

PT. HOSHIZAKI INDONESIA